	Panamera	Panamera 4	Panamera 4 Executive
Engine			
Design		V6 turbo	
Number of cylinders		6	
Valves/cylinder		4	
Displacement		2,995 cm ³	
Bore		84.5 mm	
Stroke	89.0 mm		
Maximum power	243 kW (330 hp)		
at engine speed	5,400-6,400 rpm		
Maximum torque	450 Nm		
at engine speed	1,340-4,900 rpm		
Maximum power output per litre	81.1 kW/l (110.2 hp/l)		
Compression ratio	11.2:1		
Maximum engine speed	6,500 rpm		
Cooling system	Water cooling, thermal management with control thermostat and potted water pump		
Valve control	VarioCam Plus: Camshaft control on the inlet and outlet side, valve-lift adjustment on the inlet side		

The technical data may vary from country to country

	Panamera	Panamera 4	Panamera 4 Executive	
Power transmiss	ion			
Powertrain	Rear-wheel drive	Porsche Traction Management (PTM): active all-wheel drive with electronically variable map-controlled multi-plate clutch for variable torque distribution between front and rear axle		
Gearbox	Eight-spe	ed double-clutch transm	nission (PDK)	
Transmission ratio				
1. gear	5.97			
2. gear	3.24			
3. gear	2.08			
4. gear	1.42			
5. gear	1.05			
6. gear	0.84			
7. gear	0.68			
8. gear	0.53			
Reverse gear		5.22		
Axle ratio (FA/RA)	-/3.36 3.54/3.36			

Chassis

Suspension and damping	Steel springs with Porsche Active Suspension Management (PASM)	Adaptive air suspension with three-chamber air springs and Porsche Active Suspension Management (PASM)
Front axle	Aluminium double wishbone suspension, indep	bendent wheel suspension
Rear axle	Aluminium multi-link suspension with chassis subframe, independent wheel suspension	
Steering	Electromechanical power steering; optional rear-axle steering	
Steering ratio	15.5:1 (centre position) up to 9.3:1; 14.2:1 (centre position) up to 9.3:1 for rear-axle steering	
Steering wheel diameter	375 mm	
Turning circle diameter	11.9 m; 11.4 m with rear-axle steering	12.4 m; 11.8 m with rear-axle steering
Vehicle stability system	Porsche Stability Management (PSM) including ABS with enhanced braking functions	

Brakes	Panamera	Panamera 4	Panamera 4 Executive
Brake system	Six-piston aluminium monobloc fixed-calliper brakes at the front, four-piston aluminium monobloc fixed-calliper brakes at the rear		
Brake discs, front axle	Grey cast iron; vented		
Diameter		350 mm	
Thickness		34 mm	
Brake discs, rear axle		Grey cast iron; vented	
Diameter		330 mm	
Thickness		28 mm	

Wheels and tyres

Front wheels and tyres	9 J x 19 ET 64 with 265/45 ZR 19 tyres	
Rear wheels and tyres	10.5 J x 19 ET 62 with 295/40 ZR 19 tyres	

Dimensions

Length	5,049 mm	5,199 mm
Width	1,937 mm	
(including exterior mirrors)	(2,165 mm)	
Height	1,423 mm	1,428 mm
Wheelbase	2,950 mm	3,100 mm
Front track width	1,671 mm	
(for wheel size)	(19")	
Rear track width	1,651 mm	
(for wheel size)	(19")	

Luggage compartment volumes and weights

Luggage compartment volumes	495–1,304 I		495–1,483 I
Weight empty according to DIN	1,815 kg	1,850 kg	1,935 kg
Permissible gross weight	2,390 kg	2,430 kg	2,470 kg
Weight-to-power ratio	5.5 kg/hp	5.6 kg/hp	5.9 kg/hp

Driving performance	Panamera	Panamera 4	Panamera 4 Executive
Top speed	264 km/h	262	km/h
Acceleration			
0-60 mph	5.4 s	5.2 s	5.3 s
0–60 mph with Sport Plus	5.2 s	5.0 s	5.1 s
0-100 km/h	5.7 s	5.5 s	5.6 s
0–100 km/h with Sport Plus	5.5 s	5.3 s	5.4 s
0-160 km/h	13.6 s	13.6 s	14.0 s
0–160 km/h with Sport Plus	13.3 s	13.3 s	13.7 s
0-200 km/h	22.0 s	22.5 s	23.0 s
0–200 km/h with Sport Plus	21.7 s	22.2 s	22.7 s

Fuel and emissions

Emissions standard		Euro 6		
Fuel type		Super (95 RON)		
Fuel consumption	on* Urban	9.8–9.7 l/100 km	9.9–9.8 l/100 km	10.0-9.9 l/100 km
	Extra-urban	6.3 l/100 km	6.5–6.4 l/100 km	6.7–6.6 l/100 km
	Combined	7.6–7.5 l/100 km	7.8–7.7 l/100 km	7.9–7.8 l/100 km
CO ₂ emissions*	Combined	173–171 g/km	177–175 g/km	180–178 g/km
Efficiency class (Germany)			С	
Tank capacity (optional)			75 I (90 I)	

 * Range depending on the tyre set used

Aerodynamics

Drag coefficient c _w	0.28		
Cross-sectional area A	2.37 m ² 2.39 m ²		
c _d x A	0.66	0.67	