

IMPREZA



SUBARU

Confidence in Motion



SPECIFICATIONS

		FWD				Symmetrical AWD (All-Wheel Drive)							
		1.6i				1.6i Sport		2.0i		2.0i Sport			
		5MT	Lineartronic	5MT Dual-range	Lineartronic	5MT Dual-range	Lineartronic	6MT	Lineartronic	6MT	Lineartronic		
Engine													
Type	Horizontally-opposed, 4-cylinder, 4-stroke, petrol engine												
	DOHC 16-valve												
Bore/Stroke	mm	78.8 x 82						84 x 90					
Capacity	cc	1,600						1,995					
Compression ratio		10.5											
Fuel system	Multi-Point Sequential Injection												
Fuel tank capacity	lit.	55											
Performance													
Max. output (DIN)	kW (PS) /rpm	84 (114) /5,600						110 (150) /6,200					
Max. torque (DIN)	Nm (kgfm) /rpm	150 (15.3) /4,000						196 (20.0) /4,200					
Max. speed	km/h	185	179	185	179	185	179	193					
Acceleration (0-100 km/h)	sec.	11.4	11.8	12.3	12.6	12.3	12.6	10.5	11.1	10.5	11.1		
Fuel consumption*1	Urban	lit./100 km	7.8	7.3	8.0	7.4	8.2	7.6	9.0	8.5	9.0	8.5	
	Extra-urban	lit./100 km	5.2	4.9	5.3	5.0	5.3	5.2	5.7	5.3	5.7	5.3	
	Combined	lit./100 km	6.1	5.8	6.2	5.9	6.4	6.1	6.9	6.5	6.9	6.5	
CO ₂ emissions*1	Urban	g/km	181	169	186	172	190	176	207	195	207	195	
	Extra-urban	g/km	120	113	122	116	123	120	131	123	131	123	
	Combined	g/km	142	133	144	136	147	140	159	149	159	149	
Drivetrain													
AWD type	-		Centre differential gear coupled with viscous LSD	Active Torque Split AWD system	Centre differential gear coupled with viscous LSD	Active Torque Split AWD system	Centre differential gear coupled with viscous LSD	Active Torque Split AWD system	Centre differential gear coupled with viscous LSD	Active Torque Split AWD system	Centre differential gear coupled with viscous LSD	Active Torque Split AWD system	
Dimensions & Weight													
Overall length	mm	4,415											
Overall width	mm	1,740											
Overall height	mm	1,465											
Wheelbase	mm	2,645											
Track	Front	mm	1,510										
	Rear	mm	1,515										
Minimum road clearance (at kerb weight)	mm	145											
Cargo volume*2	lit.	1,270											
Seating capacity	persons	5											
Kerb weight	kg	1,250	1,295	1,315	1,350	1,325	1,360	1,325	1,365	1,340	1,380		
Towing capacity	kg	1,000	1,200	1,500	1,200	1,500	1,200	1,400	1,200	1,400	1,200		
Transmission													
Gear ratio	D range	-	3.581-0.570	-	3.581-0.570	-	3.581-0.570	-	3.581-0.570	-	3.581-0.570		
	1st	3.454	-	3.454	-	3.454	-	3.454	-	3.454	-		
	2nd	1.888	-	1.888	-	1.888	-	1.888	-	1.888	-		
	3rd	1.296	-	1.296	-	1.296	-	1.296	-	1.296	-		
	4th	0.972	-	0.972	-	0.972	-	0.972	-	0.972	-		
	5th	0.738	-	0.738	-	0.738	-	0.738	-	0.738	-		
Reverse	3.333	3.667	3.333	3.667	3.333	3.667	3.333	3.667	3.695	3.667	3.667		
Final drive axle ratio		4.444	3.900	4.444	3.900	4.444	3.900	4.111	3.700	4.111	3.700		
Low-range ratio		-		1.447	-	1.447	-						
Chassis													
Steering	Rack and Pinion												
Suspension (4-wheel independent)	Front	MacPherson strut type											
	Rear	Double wishbone type											
Minimum turning circle at tyre (radius)	m	5.3											
Brakes	Front	Ventilated disc brakes											
	Rear	Solid disc brakes											
Tyre/wheel size		195/65R15, 15 x 6"J				205/55R16, 16 x 6.5"J*3		205/55R16, 16 x 6.5"J		205/55R16, 16 x 6.5"J*3			

*1 Fuel consumption and CO₂ emissions: According to EC715/2007-136/2014W.

*2 Measured by VDA (V214). Without sunroof.

*3 205/50R17, 17x7"J (Optional)

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

STANDARD AND OPTIONAL FEATURES

Item	FWD		Symmetrical AWD (All-Wheel Drive)							
	1.6i		1.6i Sport		2.0i		2.0i Sport			
	SMT	Lineartronic	SMT	Lineartronic	SMT	Lineartronic	6MT	Lineartronic	6MT	Lineartronic
Exterior										
Auto on/off headlamps	-	-	-	-	●	●	-	-	●	●
HID headlamps with auto leveller	-	-	-	-	OP	OP	-	-	OP	OP
Pop-up type headlamp washers	-	-	-	-	OP	OP	-	-	OP	OP
Front fog lamps	-	-	-	-	●	●	-	-	●	●
Rear fog lamp	●	●	●	●	●	●	-	-	●	●
Power-folding door mirrors with built-in LED turn signal	-	-	-	-	●	●	-	-	●	●
UV protection glass: Windshield, front and rear side windows	●	●	●	●	●	●	●	●	●	●
Privacy glass for rear doors, rear quarters and rear windows	-	-	-	-	OP	OP	-	-	●	●
Variable intermittent windshield wipers (Designed blade)	●	●	●	●	●	●	●	●	●	●
Intermittent rear window wiper	●	●	●	●	●	●	-	-	●	●
15-inch steel wheels with full-wheel caps	●	●	●	●	-	-	-	-	-	-
16-inch steel wheels with full-wheel caps	-	-	-	-	-	-	●	●	-	-
16-inch aluminium alloy wheels	-	-	-	-	●	●	OP	OP	●	●
17-inch aluminium alloy wheels	-	-	-	-	OP	OP	-	-	OP	OP
Power sliding, tilt-adjustable glass sunroof	-	-	-	-	OP	OP	-	-	OP	OP
Carrier installation brackets	●	●	●	●	●	●	●	●	●	●
Side under spoilers	-	-	-	-	OP	OP	-	-	OP	OP
Roof spoiler	●	●	●	●	●	●	●	●	●	●
Roof antenna	●	●	●	●	●	●	●	●	●	●
Seating / Trims										
Leather wrapped steering wheel and gearshift knob	-	-	-	-	●	●	-	-	●	●
Leather seats	-	-	-	-	OP	OP	-	-	OP	OP
6-way manual adjustable driver's seat	●	●	●	●	●	●	●	●	●	●
8-way power adjustable driver's seat	-	-	-	-	OP	OP	-	-	OP	OP
Front seat heaters	-	-	OP	OP	●	●	OP	OP	●	●
60/40 split folding rear seats	●	●	●	●	●	●	●	●	●	●
Seat back pocket (rear passenger side only)	●	●	●	●	●	●	●	●	●	●
Comfort / Convenience										
Power windows*1	●	●	●	●	●	●	●	●	●	●
Remote control key system	●	●	●	●	●	●	●	●	●	●
Keyless Access and Push Button Start System (touch-sensor type)	-	-	-	-	OP	OP	-	-	OP	OP
PIN Code Access	-	-	-	-	OP	OP	-	-	OP	OP
Map lamps	●	●	●	●	●	●	●	●	●	●
Luggage space lamp	●	●	●	●	●	●	●	●	●	●
Vanity mirrors with lids (for driver and front passenger)	●	●	●	●	●	●	●	●	●	●
Centre tray	●	●	●	●	●	●	●	●	●	●
Centre console box*2	●	●	●	●	●	●	●	●	●	●
2 front cup holders (in the centre console)*3	●	●	●	●	●	●	●	●	●	●
Door pockets with bottle holders (on all side doors)	●	●	●	●	●	●	●	●	●	●
Interior fuel lid lock release	●	●	●	●	●	●	●	●	●	●
Two 12-volt power outlets (in the instrument panel and centre console box)	●	●	●	●	●	●	●	●	●	●
Cargo hooks	●	●	●	●	●	●	●	●	●	●
Luggage hooks	●	●	●	●	●	●	●	●	●	●
Retractable cargo cover	-	-	-	-	●	●	●	●	●	●
Box sub-trunk (under cargo strage)	●	●	●	●	●	●	●	●	●	●
Tyre repair kit	●	●	●	●	●	●	●	●	●	●

*1 Driver's side front window has auto up/down function with pinch protection.

*2 2.0i and 2.0i Sport are available armrest slide function.

*3 1.6i (AWD/SMT Dual-range model) and 1.6i Sport (SMT Dual-range model) : 1 cup holder.

*4 7.0-inch VGA colour display.

*5 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.

*6 4.3-inch LCD screen display. It shows: Fuel Economy screen, Eco-evaluation screen, Driving condition, Clock with Outside temperature and Maintenance information etc.

*7 It shows: current fuel consumption, average fuel consumption, continuous travel distance and time, average vehicle speed and ambient temperature and clock.
Auto start stop system, the display shows length of time the engine is stopped and cumulative length of time the engine is stopped (total and this trip).

*8 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

Standard and optional features, model lineup may vary according to market.

Item	FWD		Symmetrical AWD (All-Wheel Drive)							
	1.6i		1.6i Sport		2.0i		2.0i Sport			
	SMT	Lineartronic	SMT	Lineartronic	SMT	Lineartronic	6MT	Lineartronic	6MT	Lineartronic
Climate control										
Automatic air-conditioning system with anti-dust filter	●	●	●	●	-	-	●	●	-	-
Dual-zone automatic air-conditioning system with anti-dust filter	-	-	-	-	●	●	-	-	●	●
Heater ducts for rear passengers	●	●	●	●	●	●	●	●	●	●
Windshield wiper de-icer	-	-	OP	OP	●	●	OP	OP	●	●
Automatic rain-sensing windshield wipers	-	-	-	-	●	●	-	-	●	●
Heated door mirrors	-	-	OP	OP	●	●	OP	OP	●	●
Front and side defrosters	●	●	●	●	●	●	●	●	●	●
Electric rear window defogger with timer	●	●	●	●	●	●	●	●	●	●
Entertainment and Navigation										
SUBARU STARLINK infotainment system with 6.2-inch colour display audio system : 1CD and 4 speakers	●	●	●	●	-	-	●	●	-	-
SUBARU STARLINK infotainment system with Premium audio system*4 : 1CD and 6 speakers	-	-	-	-	●	●	-	-	●	●
SUBARU STARLINK infotainment system with SD card type navigation*4 and audio system : 1-CD and 6 speakers	-	-	-	-	OP	OP	-	-	OP	OP
Voice recognition system (Command speech and One shot)	●	●	●	●	●	●	●	●	●	●
Steering wheel mounted audio remote control switches	●	●	●	●	●	●	●	●	●	●
Bluetooth*5-compatible hands-free system	●	●	●	●	●	●	●	●	●	●
Single USB port and auxiliary audio input jack	●	●	●	●	-	-	●	●	-	-
Dual USB ports and auxiliary audio input jack	●	●	●	●	●	●	●	●	●	●
Rear Vision Camera System	-	-	-	-	●	●	-	-	●	●
Control / Instruments										
Auto Start Stop	●	●	●	●	●	●	●	●	●	●
High-Grade type Multi Function Display*6	-	-	-	-	●	●	-	-	●	●
Multi Function Display*7	●	●	●	●	-	-	●	●	-	-
Tilt-adjustable/telescopic steering wheel	●	●	●	●	●	●	●	●	●	●
Cruise control	-	-	-	-	●	●	-	-	●	●
Aluminium pedals	-	-	-	-	OP	OP	-	-	OP	OP
Drivability										
Vehicle Dynamics Control System	●	●	●	●	●	●	●	●	●	●
Hill Start Assist	●	●	●	●	●	●	●	●	●	●
Safety										
Front SRS*8 airbags	●	●	●	●	●	●	●	●	●	●
Front side SRS*8 airbags (for driver and front passenger)	●	●	●	●	●	●	●	●	●	●
Curtain SRS*8 airbags (front and rear, both sides)	●	●	●	●	●	●	●	●	●	●
Knee SRS*8 airbag	●	●	●	●	●	●	●	●	●	●
Side-door reinforcement beams (front and rear, both sides)	●	●	●	●	●	●	●	●	●	●
Steering column support beam	●	●	●	●	●	●	●	●	●	●
Whiplash reducing front seats	●	●	●	●	●	●	●	●	●	●
Rear seat headrests for 3 seating positions	●	●	●	●	●	●	●	●	●	●
Seatbelt indicator (for driver and all passengers)	●	●	●	●	●	●	●	●	●	●
Front seatbelts with pretensioners and load limiters	●	●	●	●	●	●	●	●	●	●
Height adjustable seatbelt anchors (for driver and front passenger)	●	●	●	●	●	●	●	●	●	●
Rear 3-point seatbelts for 3 seating positions	●	●	●	●	●	●	●	●	●	●
Safety pedal system	●	●	●	●	●	●	●	●	●	●
4-sensor/4-channel ABS with Electronic Brake-force Distribution	●	●	●	●	●	●	●	●	●	●
Brake assist system	●	●	●	●	●	●	●	●	●	●
Brake Override	●	●	●	●	●	●	●	●	●	●
ISO-FIX adapted child seat anchors (with tether anchors)	●	●	●	●	●	●	●	●	●	●
Child-proof rear door locking (both sides)	●	●	●	●	●	●	●	●	●	●
Anti-theft security system with engine immobiliser	●	●	●	●	●	●	●	●	●	●

● : Standard OP: Option



SUBARU

Confidence in Motion

FUJI HEAVY INDUSTRIES LTD.
subaru-global.com

Printed in Belgium (15GNXXXX-01SS)